

ORIGINAL 1ST DRAWING

Modified / Correction


THE WEATHER SPOON Humidity Modifier system

(A) cut-out

side / front VIEW

8-10-04

From
WHERE
SOURCE WATER




Manual or Remote operation portable & stationary units

- 1 Humidity modifiers living the parameter of areas to be protected.
- 2 100's or 1000's of nebulizers strategically placed between high & low elevations
- 3 closed system pressurized @ 50-100 PSI from compressor through the systems.
- 4 Humidity modifiers disburse large amount of aerosol droplets increase Absolute humidity
- 5 Each atomizer puts out 30 gallons per hour driving moisture toward Rain out
- 6 Coanda affect at the nebulizer increase pressure 100-300 time pushing droplet
- 7 Law of Kinetic molecular movement will continue the push droplet up to 60'
- 8 Water source come from nearby lakes, streams or truck & placed in container for use
- 9 Placement of system will divide the landscape using the hillside & valleys
- 10 The system will protect populated areas & structures by enclosing them in moisture
- 11 Portable humidity systems can be placed to allow for ~~etc~~ Evacuation routes.
- 12 Portable humidity systems can develop front line for fire fighters
- 13

THE WEATHERSPOON Humidity Modifier System

SEP 28 2004
JCS
PATENT & TRADEMARK OFFICE



Weatherproof Humidity Modifier Systems

(C) System EMBEDDED in thru-out LANDSCAPES **■** AROUND ROADS TO ~~BE~~ CREATED SAFE ACCESS ~~TO~~ OUT OF DANGER FROM WILDFIRE

Any Weatherproofing
Original Design
of 10/10/01

